

DISPENSARY UNIT

FLOW CHART

NEBULIZATION

Client walks in for TREATMENT
after Medical Consultation

Greet client with
a smile.
Check Doctors'
order

Assess Respiratory
Status of client
(1 min.)

If Dyspneic:

Nebulize
right away
while
explaining
the
procedure.
(10-15 mins)

Explain procedure
to the patient.
(2-3 mins)

Record data and
let Patient sign
to logbook. If
minor, c/o
Guardian. (1 min.)

Document the
data.
Reassess
status after
Nebulization
and refer
back to M.O
for re-
evaluation.
(5-10 mins)

Nebulize patient
then reassess
status.
(10-15 mins)

Give instructions
for home care
treatment & advice
to return to
clinic if needed.

Refer back to Medical
Officer for re-evaluation

DISPENSARY UNIT

FLOW CHART

DRESSING

Client walks in for
TREATMENT after Medical
Consultation.
Greet with a smile.

Check
Doctors'
order.
Assess
severity of
wound.
(1 min)

Ask client for
history of
hypersensitivity to
Povidone Iodine and
to other topical
medication.
(2-3 mins)

Explain procedure,
record data and
let patient sign
to logbook.
If minor, c/o
guardian.
(2-3mins)

If sensitive:

Dress wound
aseptically with
NSS, paint
Povidone Iodine
and apply
ointment if
prescribed.
(5-10 mins)

Clean wound
aseptically with
NSS and apply
topical
ointment, if
prescribed, and
dressing.
(5-10 mins)

Give instructions
for home care
treatment and
advice to return
to clinic if
needed.
(2-3 mins)

DISPENSARY UNIT

FLOW CHART

INJECTIONS

Client walks in for TREATMENT
after Medical Consultation

Greet client.
Check Doctor's
order

Assess Vital Signs
especially the Temp
& BP for adults.
Explain procedure
to client.

If BP is > 130/80:

Refer to
Medical
Officer
and
clarify

Secure consent. Inject
medicine /vaccine
aseptically as ordered.

If YES:

Explain
procedure.
Secure
consent and
Inject
medicine
/vaccine
Aseptically
as ordered

Allow client to stay and
observe for any untoward
manifestations after the
injection.
(5-10 mins)

If DEFER:

Hold
injection.
Inform
client and
advise to
come back
the
following
day for re-
evaluation.

Give health teachings and
advise client to return to
clinic for any side effects
of injection noted at home.
(2-3 mins)

DISPENSARY UNIT

FLOW CHART

MINOR SURGERY

Client walks in for TREATMENT
after Medical Consultation

Greet client.
Check Doctor's order.
(1 min)

Explain procedure to
client. Assess Vital
Signs. (2-5 mins)

Secure consent.
If minor, let the
Guardian / parent sign.

Inject Tetanus Toxoid
aseptically as ordered.
(1-3 mins)

Prepare patient, and the
needed instruments and
supplies. (10-15 mins)

Inform Medical Officer.
Perform minor surgery with
strict aseptic technique.
(30-45 mins)

Allow client to rest and
observe for any untoward
manifestations after the
surgery. (5-10 mins)

Give instructions for home
care treatment. If needed,
return to clinic for
dressing and removal of
sutures (2-3 mins)

Document procedure
performed.
(2-3 mins)